



									DC-P	V1 (=	DC21B)	open/	enclose	d & D	erating e	enclo	sed type	+75°C	ambien	it								
		LS	S16	1	1	LS	25		1	LS	32		1	LS	38		1	LS ₄	10		ı	LS	55		1	LS6	5 ,	
		l _e 1,5 x l		l _e	l _e	1,5 x l _e	l.	l _e	l. 1	,5 x l _e	l.	l.	l _e	1,5 x l _e	l.	l.	I _e	1,5 x l _e	l.	l _e	l.	1,5 x l _e	l.	l _e	I.	1,5 x l _e	l.	I.
		+45°C	+75°C	acc.	-e +45°C	1,0 X le	+75°C	acc.	+45°C	,o x ie	+75°C	acc.	•е +45°С	1,0 X Ie	+75°C	acc.	+45°C	1,0 X Ie	•е +75°С	acc.	+45°C	1,0 X Ie	+75°C	acc.	•е +45°С	i,o x ie	+75°C	acc.
		ambient	amb. "new"	"old" diagram	ambient		amb. "new"	"old" diagram	ambient		amb. "new"	"old" diagram	ambient		amb. "new"	"old" diagram	ambient		amb. "new"	"old" diagram	ambient		amb. "new"	"old" diagram	ambient	í	amb. "new"	"old" diagram
	300V A	16,0 24,0			23,0	34,5	21,6	15,0		40,5	23,8	17,6	-	-	-	-	40,0	60,0	40,0	-	55,0	82,5	55,0	-	65,0	97,5	65,0	-
	400V A	14,0 21,0			22,0	33,0	21,6	15,0		37,5	23,8	17,6	-	-	-	-	33,0	49,5	33,0	-	44,0	66,0	44,0	-	50,0	75,0	50,0	-
<u>o</u>	500V A 600V A	10,0 15,0			17,0 12,0	25,5	17,0 12,0	15,0		30,0 22,5	20,0 15,0	17,6	-	-	-	-	24,0 19,0	36,0 28,5	24,0 19,0	-	32,0 25,0	48,0 37,5	32,0 25,0	-	40,0 30,0	60,0 45,0	40,0 30,0	-
1-pole	700V A	7,0 10,5 5,0 7,5			6,0	18,0 9,0	6,0	10,6 5,3		11,3	7,5	13,3 6,6		-	_	-	12,0	18,0	12,0	-	18,0	27,0	18,0	-	21,0	31,5	21,0	-
<u> </u>	800V A	3,0 4,5			4,0	6,0	4,0	3,5	5,0	7,5	5,0	4,4	_	_	_	-	10,0	15,0	10,0	_	13,0	19,5	13,0	-	15,0	22,5	15,0	_
	900V A	3,0 4,5			3,0	4,5	3,0	2,7	4,0	6,0	4,0	3,5	-	_	-	-	8,0	12,0	8,0	-	10,0	15,0	10,0	-	10,0	15,0	10,0	_
	1.000V A	2,0 3,0			2,0	3,0	2,0	1,8	3,0	4,5	3,0	2,7	-	-	-	-	5,0	7,5	5,0	-	8,0	12,0	8,0	-	8,0	12,0	8,0	-
	500V A	16,0 24,0	15,0	10,4	25,0	37,5	23,5	16,3		48,0	28,2	20,8	45,0	67,5	34,2	29,3	48,0	72,0	48,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
	600V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	45,0	67,5	34,2	29,3	48,0	72,0	48,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
a)	700V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	36,0	54,0	34,2	29,3	37,0	55,5	37,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
ă	800V A	16,0 24,0			20,0	30,0	20,0	16,3		34,5	23,0	18,6	30,0	45,0	30,0	26,6	35,0	52,5	35,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
2-	900V A	16,0 24,0			17,0	25,5	17,0	15,1		30,0	20,0	15,9	25,0	37,5	25,0	22,1	31,0	46,5	31,0	26,0	43,0	64,5	43,0	35,8	55,0	82,5	55,0	-
	1.000V A 1.200V A	10,0 15,0			11,5	17,3	11,5	10,2	13,0	19,5	13,0	11,5	20,0	30,0	20,0	17,7	29,0	43,5	29,0 11,0	25,7	36,0	54,0	36,0 17,0	33,9	40,0	60,0	40,0 17,0	-
	1.200V A 1.500V A	7,0 10,5 3,0 4,5			8,5 5,0	12,8 7,5	8,5 5,0	7,5	10,0 6,0	15,0 9,0	10,0 6,0	8,9 5,3	10,0 6,0	15,0 9,0	10,0 6,0	8,9 5,3	11,0 8,0	16,5 12,0	8,0	9,7 6,6	17,0 10,0	25,5 15,0	10,0	15,1 8,9	17,0 10,0	25,5 15,0	10,0	-
	500V A	29,0 43,5			45,0	67,5	34,2	4,4 29,3		87,0	44,1	37,7	65,0	97,5	49,4	42,3		108,0	72,0	46,8	85,0	127,5	85,0	55,3	85,0	127,5	85,0	
	600V A	29,0 43,5			45,0	67,5	34,2	29,3		82,5	44,1	37,7	58,0	87,0	49,4	42,3		102,0	68,0	46,8	85,0	127,5	85,0	55,3	85,0	127,5	85,0	_
Φ	700V A	22,0 33,0			27,0	40,5	27,0	23,9		48,0	32,0	28,3	36,0	54,0	36,0	31,9	49,0	73,5	49,0	43,4	77,0	115,5	77,0	55,3	80,0	120,0	80,0	_
od	800V A	17,0 25,5			20,0	30,0	20,0	16,8		34,5	23,0	18,6	30,0	45,0	30,0	26,6	42,0	63,0	42,0	37,2	63,0	94,5	63,0	55,3	65,0	97,5	65,0	_
+2-	900V A	16,0 24,0	16,0	14,2	17,0	25,5	17,0	15,1	20,0	30,0	20,0	15,9	25,0	37,5	25,0	22,1	31,0	46,5	31,0	27,5	43,0	64,5	43,0	38,1	55,0	82,5	55,0	-
2	1.000V A	10,0 15,0			11,5	17,3	11,5	10,2		19,5	13,0	11,5	20,0	30,0	20,0	17,7	29,0	43,5	29,0	20,4	36,0	54,0	36,0	31,9	40,0	60,0	40,0	-
	1.200V A	7,0 10,5			8,5	12,8	8,5	7,5		15,0	10,0	8,9	10,0	15,0	10,0	8,9	11,0	16,5	11,0	9,7	17,0	25,5	17,0	15,1	17,0	25,5	17,0	_
	1.500V A	3,0 4,5			5,0		5,0	4,4	6,0	9,0	6,0	5,3	6,0	9,0	6,0	5,3	8,0	12,0	8,0	7,1	10,0	15,0	10,0	8,9	10,0	15,0	10,0	-
	500V A	16,0 24,0			25,0		23,5	16,3		48,0	28,2	20,8	45,0	67,5	34,2	29,3	48,0	72,0	48,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
	600V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	45,0	67,5	34,2	29,3	48,0	72,0	48,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	-
<u>o</u>	700V A 800V A	16,0 24,0 16,0 24,0			25,0 25,0	37,5 37,5	23,5 23,5	16,3 16,3		48,0 48,0	28,2 28,2	20,8	45,0 45,0	67,5 67,5	34,2 34,2	29,3 29,3	48,0 48,0	72,0 72,0	48,0 48,0	26,0 26,0	55,0 55,0	82,5 82,5	55,0 55,0	35,8 35,8	65,0 65,0	97,5 97,5	65,0 65,0	-
4-pol	900V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	45,0	67,5	34,2	29,3	48,0	72,0	48,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	
4	1.000V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	38,0	57,0	34,2	29,3	40,0	60,0	40,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	_
	1.200V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	32,0	48,0	32,0	28,3	40,0	60,0	40,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	_
	1.500V A	16,0 24,0			25,0	37,5	23,5	16,3		48,0	28,2	20,8	32,0	48,0	32,0	28,3	40,0	60,0	40,0	26,0	55,0	82,5	55,0	35,8	65,0	97,5	65,0	_
	500V A	29,0 43,5		18,9		67,5			58,0		44,1			97,5	49,4	42,3	72,0		72,0	46,8	85,0	127,5	85,0		85,0		85,0	-
	600V A	29,0 43,5	25,5	18,9	45,0	67,5	34,2	29,3	58,0	87,0	44,1	37,7	65,0	97,5	49,4	42,3	72,0	108,0	72,0	46,8	85,0	127,5	85,0	55,3	85,0	127,5	85,0	-
ē	700V A	29,0 43,5				67,5	34,2	29,3	58,0	87,0	44,1	37,7	65,0		49,4		72,0		72,0	46,8			85,0	55,3	85,0		85,0	-
pd-	800V A	29,0 43,5			45,0		34,2	29,3		87,0	44,1	37,7	65,0		49,4		72,0		72,0	46,8	85,0	127,5	85,0	55,3	85,0		85,0	-
1+2	900V A	29,0 43,5			45,0		34,2	29,3		87,0	44,1	37,7	65,0		49,4		72,0		72,0	46,8		127,5	85,0	55,3	85,0		85,0	-
4	1.000V A	29,0 43,5				67,5	34,2	29,3		87,0	44,1	37,7	65,0		49,4		72,0		72,0	46,8	85,0		85,0	55,3	85,0		85,0	-
	1.200V A 1.500V A	29,0 43,5			33,0		33,0	29,2		75,0	38,0			75,0	38,0		56,0		56,0	46,8	65,0 55.0		65,0 55.0		65,0 55,0		65,0	-
	1.500V A	20,0 30,0	20,0	17,7	∠0,0	39,0	26,0	23,0	32,0	48,0	32,0	28,3	ა∠,∪	48,0	32,0	28,3	42,0	ს პ,U	42,0	37,2	55,0	82,5	55,0	48,7	35,0	82,5	55,0	-




LS32 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
300V / ≥6mm²	[A]	27,0	27,0	27,0	27,0	27,0	27,0	26,5	25,9	25,4	24,8	24,3	23,8	23,2	
400V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,3	23,8	23,2	
500V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	
600V / ≥2,5mm ²	[A]	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	•
700V / ≥1,5mm ²	[A]	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	7,5	
800V / ≥1,5mm ²	[A]	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	
900V / ≥1,5mm ²	[A]	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	
1.000V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	









LS25 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
300V / ≥4mm²	[A]	23,0	23,0	23,0	23,0	23,0	23,0	22,8	22,5	22,3	22,1	21,9	21,6	21,4	
400V / ≥4mm²	[A]	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	21,9	21,6	21,4	
500V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	
600V / ≥1,5mm ²	[A]	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	
700V / ≥1,5mm ²	[A]	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	
800V / ≥1,5mm ²	[A]	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	4,0	
900V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	
1.000V / ≥1,5mm ²	[A]	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	









LS16 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Typ	е
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed	Туре
300V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
400V / ≥2,5mm ²	[A]	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	14,0	
500V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
600V / ≥1,5mm ²	[A]	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	
700V / ≥1,5mm ²	[A]	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	
800V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	
900V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	
1.000V / ≥1,5mm ²	[A]	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	









LS38 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
600V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
700V / ≥10mm ²	[A]	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	34,2	32,4	
800V / ≥6mm²	[A]	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	
900V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	
1.000V / ≥2,5mm	² [A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	
1.200V / ≥1,5mm	² [A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
1.500V / ≥1,5mm	² [A]	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	









LS32 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
600V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
700V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
800V / ≥4mm²	[A]	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	
900V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	
1.000V / ≥2,5mm ²	[A]	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	
1.200V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
1.500V / ≥1,5mm ²	[A]	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	









LS25 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
400V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
700V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
800V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	
900V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	
1.000V / ≥1,5mm ²	[A]	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	
1.200V / ≥1,5mm ²	[A]	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	
1.500V / ≥1,5mm ²	[A]	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	









LS16 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
600V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
700V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
800V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
900V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
1.000V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
1.200V / ≥1,5mm ²	[A]	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	
1.500V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	









LS38 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8
600V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	57,2	54,6	52,0	49,4	46,8
700V / ≥10mm ²	[A]	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0
800V / ≥6mm²	[A]	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0
900V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0
1.000V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0
1.200V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
1.500V / ≥1,5mm ²	[A]	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0









LS32 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8
600V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	53,4	51,0	48,7	46,4	44,1	41,8
700V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0
800V / ≥4mm²	[A]	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0	23,0
900V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0
1.000V / ≥2,5mm ²	[A]	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0
1.200V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
1.500V / ≥1,5mm ²	[A]	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0	6,0









LS25 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
600V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
700V / ≥6mm²	[A]	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0	27,0
800V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0
900V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0
1.000V / ≥1,5mm ²	[A]	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5	11,5
1.200V / ≥1,5mm ²	[A]	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5	8,5
1.500V / ≥1,5mm ²	[A]	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0









LS16 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9	
600V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9	
700V / ≥4mm²	[A]	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	22,0	
800V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	
900V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	16,0	
1.000V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
1.200V / ≥1,5mm ²	[A]	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	7,0	
1.500V / ≥1,5mm ²	[A]	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	









LS38 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type	
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed T	уре
500V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
600V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
700V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
800V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
900V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4	
1.000V / ≥10mm ²	[A]	38,0	38,0	38,0	38,0	38,0	38,0	38,0	38,0	38,0	37,8	36,0	34,2	32,4	
1.200V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	
1.500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	









LS32 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
600V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
700V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
800V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
900V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
1.000V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
1.200V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	
1.500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	31,4	30,7	30,1	29,4	28,8	28,2	27,5	









LS25 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 (Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 1	Enclosed Type
500V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
600V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
700V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
800V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
900V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
1.000V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
1.200V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	
1.500V / ≥4mm ²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	24,8	24,5	24,3	24,0	23,8	23,5	23,3	









LS16 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 (Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 8	Enclosed Type
500V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
600V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
700V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
800V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
900V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
1.000V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
1.200V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	
1.500V / ≥2,5mm ²	[A]	16,0	16,0	16,0	16,0	16,0	16,0	15,8	15,7	15,5	15,4	15,2	15,0	14,9	









LS38 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type	
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Ty	ре
500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
600V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
700V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
800V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
900V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
1.000V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	62,4	59,8	57,2	54,6	52,0	49,4	46,8	
1.200V / ≥10mm ²	[A]	50,0	50,0	50,0	50,0	50,0	50,0	48,0	46,0	44,0	42,0	40,0	38,0	36,0	
1.500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	









LS32 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
600V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
700V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
800V / ≥16mm²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
900V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
1.000V / ≥16mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	55,7	53,4	51,0	48,7	46,4	44,1	41,8	
1.200V / ≥10mm ²	[A]	50,0	50,0	50,0	50,0	50,0	50,0	48,0	46,0	44,0	42,0	40,0	38,0	36,0	
1.500V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	









LS25 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
600V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
700V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
800V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
900V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
1.000V / ≥10mm ²	[A]	45,0	45,0	45,0	45,0	45,0	45,0	43,2	41,4	39,6	37,8	36,0	34,2	32,4
1.200V / ≥10mm ²	[A]	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	32,4
1.500V / ≥6mm ²	[A]	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0	26,0









LS16 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
600V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
700V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
800V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
900V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
1.000V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
1.200V / ≥6mm ²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	28,4	27,8	27,3	26,7	26,1	25,5	24,9
1.500V / ≥2,5mm ²	[A]	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0	20,0









LS65 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0
600V / ≥10mm ²	[A]	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0	50,0
700V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0
800V / ≥6mm²	[A]	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0	30,0
900V / ≥4mm²	[A]	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0	21,0
1.000V / ≥2,5mm ²	[A]	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0
1.200V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
1.500V / ≥1,5mm ²	[A]	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0









LS55 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0
600V / ≥10mm ²	[A]	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0
700V / ≥6mm²	[A]	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0	32,0
800V / ≥4mm²	[A]	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0	25,0
900V / ≥2,5mm ²	[A]	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0	18,0
1.000V / ≥2,5mm ²	[A]	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0	13,0
1.200V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0
1.500V / ≥1,5mm ²	[A]	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0









1.040.4	1001	40	45			00	0.5	70	7.	00	0.5	00	0.5	400	о т
LS40 1p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Typ
500V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	
600V / ≥10mm ²	[A]	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	33,0	
700V / ≥4mm²	[A]	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	24,0	
800V / ≥2,5mm ²	[A]	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	19,0	
900V / ≥1,5mm ²	[A]	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	12,0	
1.000V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	
1.200V / ≥1,5mm ²	[A]	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	
1.500V / ≥1,5mm ²	[A]	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	5,0	









						_									
LS65 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100	Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80	Enclosed Type
500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8	
600V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8	
700V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8	
800V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8	
900V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	
1.000V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	
1.200V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	
1.500V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	









LS55 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
600V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
700V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
800V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
900V / ≥10mm ²	[A]	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0
1.000V / ≥10mm ²	[A]	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0
1.200V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0
1.500V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0









LS40 2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
600V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
700V / ≥10mm ²	[A]	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0	37,0
800V / ≥10mm ²	[A]	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0
900V / ≥6mm²	[A]	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0
1.000V / ≥6mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0
1.200V / ≥1,5mm ²	[A]	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0
1.500V / ≥1,5mm ²	[A]	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0









LS65 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
600V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
700V / ≥25mm²	[A]	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0
800V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0
900V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0
1.000V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0
1.200V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0
1.500V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0









LS55 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
600V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
700V / ≥25mm²	[A]	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0	77,0
800V / ≥16mm ²	[A]	63,0	63,0	63,0	63,0	63,0	63,0	63,0	63,0	63,0	63,0	63,0	63,0	59,9
900V / ≥10mm ²	[A]	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0	43,0
1.000V / ≥10mm ²	[A]	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0	36,0
1.200V / ≥2,5mm ²	[A]	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0	17,0
1.500V / ≥1,5mm ²	[A]	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0	10,0









LS40 2+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
600V / ≥25mm ²	[A]	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0
700V / ≥10mm ²	[A]	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0	49,0
800V / ≥10mm ²	[A]	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0
900V / ≥6mm²	[A]	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0	31,0
1.000V / ≥4mm²	[A]	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0	29,0
1.200V / ≥1,5mm ²	[A]	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0	11,0
1.500V / ≥1,5mm ²	[A]	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0	8,0









LS65 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
600V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
700V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
800V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
900V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
1.000V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
1.200V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
1.500V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8









LS55 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
600V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
700V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
800V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
900V / ≥16mm²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
1.000V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
1.200V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3
1.500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	52,3









LS40 4p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
600V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
700V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
800V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
900V / ≥10mm ²	[A]	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	48,0	45,6
1.000V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0
1.200V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0
1.500V / ≥10mm ²	[A]	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0









LS65 3+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
600V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
700V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
800V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
900V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
1.000V / ≥25mm ²	[A]	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0	80,0
1.200V / ≥16mm ²	[A]													<u> </u>
1.500V / ≥16mm ²	[A]													<u></u>









LS55 3+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
600V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
700V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
800V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
900V / ≥25mm²	[A]	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0	78,0
1.000V / ≥25mm ²	[A]	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0	70,0
1.200V / ≥16mm ²	[A]													
1.500V / ≥16mm²	[A]													









LS40 3+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
600V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
700V / ≥16mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
800V / ≥16mm ²	[A]	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0	68,0
900V / ≥10mm ²	[A]	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0	62,0
1.000V / ≥10mm ²	[A]	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0	58,0
	[A]													
	[A]													









LS65 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
600V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
700V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
800V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
900V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
1.000V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0
1.200V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0
1.500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0








LS55 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
600V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
700V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
800V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
900V / ≥25mm²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
1.000V / ≥25mm ²	[A]	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	85,0	80,8
1.200V / ≥16mm ²	[A]	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	65,0	61,8
1.500V / ≥16mm ²	[A]	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0	55,0







LS40 4+2p	[°C]	40	45	50	55	60	65	70	75	80	85	90	95	100 Open Type
	[°C]	20	25	30	35	40	45	50	55	60	65	70	75	80 Enclosed Type
500V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
600V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
700V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
800V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
900V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
1.000V / ≥25mm ²	[A]	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	72,0	68,4
1.200V / ≥16mm ²	[A]	56,0	56,0	56,0	56,0	56,0	56,0	56,0	56,0	56,0	56,0	56,0	56,0	53,2
1.500V / ≥10mm ²	[A]	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0	42,0

